

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Hydroquinone

Product Number : 53960
Brand : Fluka

Company : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA

Telephone : +1 800-325-5832
Fax : +1 800-325-5052
Emergency Phone # : (314) 776-6555

2. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : 1,4-Benzenediol
1,4-Dihydroxybenzene

Formula : C₆H₆O₂
Molecular Weight : 110.11 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
Hydroquinone			
123-31-9	204-617-8	604-005-00-4	-

3. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect, Toxic by ingestion, Skin sensitiser, Irritant, Carcinogen, Mutagen

Target Organs

Blood, Liver, Kidney, Eyes

HMIS Classification

Health hazard: 2
Chronic Health Hazard: *
Flammability: 1
Physical hazards: 0

NFPA Rating

Health hazard: 2
Fire: 1
Reactivity Hazard: 0

Potential Health Effects

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.
Ingestion	Toxic if swallowed.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point 165 °C (329 °F) - closed cup

Ignition temperature 499 °C (930 °F)

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods for cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Storage

Keep container tightly closed in a dry and well-ventilated place.

Air and light sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
Hydroquinone	123-31-9	TWA	1 mg/m ³	2008-01-01	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Eye irritation Eye damage 2008 Adoption Confirmed animal carcinogen with unknown relevance to humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. Sensitizer				
		TWA	2 mg/m ³	1989-01-19	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	2 mg/m ³	1997-08-04	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Face shield and safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form crystalline
Colour colourless

Safety data

pH 3.7 at 70 g/l
Melting point 171 - 173 °C (340 - 343 °F)
172 - 175 °C (342 - 347 °F)

Boiling point	285 °C (545 °F)
Flash point	165 °C (329 °F) - closed cup
Ignition temperature	499 °C (930 °F)
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapour pressure	1 hPa (1 mmHg) at 132 °C (270 °F)
Density	1.332 g/cm ³
Water solubility	50 g/l
Partition coefficient: n-octanol/water	log Pow: 0.59
Relative vapour density	3.80 - (Air = 1.0)

10. STABILITY AND REACTIVITY

Storage stability

Stable under recommended storage conditions.

Conditions to avoid

Air Light.

Materials to avoid

Strong bases, Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 302 mg/kg

LD50 Dermal - Mammal - 5,970 mg/kg

Irritation and corrosion

no data available

Sensitisation

May cause allergic skin reaction.

Chronic exposure

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Hydroquinone)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Genotoxicity in vivo - rat - Oral
 Unscheduled DNA synthesis

Genotoxicity in vivo - mouse - Oral
Micronucleus test

Laboratory experiments have shown mutagenic effects.

Signs and Symptoms of Exposure

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer.

Potential Health Effects

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.
Ingestion	Toxic if swallowed.
Target Organs	Blood, Liver, Kidney, Eyes,

Additional Information

RTECS: MX3500000

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

Biodegradability	Biotic/Aerobic Result: 86 % - Readily biodegradable.
------------------	---

Bioaccumulation	Leuciscus idus (Golden orfe) - 3 d Bioconcentration factor (BCF): 40
-----------------	---

Ecotoxicity effects

Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 0.04 - 0.10 mg/l - 96 h
------------------	--

Toxicity to daphnia and other aquatic invertebrates.	EC50 - Daphnia magna (Water flea) - 0.13 mg/l - 48 h
--	--

Toxicity to algae	EC50 - Pseudokirchneriella subcapitata (green algae) - 0.335 mg/l - 72 h
-------------------	--

Further information on ecology

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 3077 Class: 9

Packing group: III

Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Hydroquinone)
Reportable Quantity (RQ): 100 lbs
Marine pollutant: No
Poison Inhalation Hazard: No

IMDG

UN-Number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Hydroquinone)
Marine pollutant: No

IATA

UN-Number: 3077 Class: 9 Packing group: III
Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Hydroquinone)

15. REGULATORY INFORMATION

OSHA Hazards

Target Organ Effect, Toxic by ingestion, Skin sensitiser, Irritant, Carcinogen, Mutagen

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

	CAS-No.	Revision Date
Hydroquinone	123-31-9	2007-07-01

SARA 313 Components

	CAS-No.	Revision Date
Hydroquinone	123-31-9	2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Hydroquinone	123-31-9	2007-07-01

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Hydroquinone	123-31-9	2007-07-01

New Jersey Right To Know Components

	CAS-No.	Revision Date
Hydroquinone	123-31-9	2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

Further information

Copyright 2009 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

